

THE MATCHING PROBLEM FOR BIPARTITE GRAPHS
WITH POLYNOMIALLY BOUNDED PERMANENTS IS IN NC
(Extended Abstract)

DIMA YU. GRIGORIEV,
STEKLOV INSTITUTE OF MATHEMATICS,
SOV. ACAD. OF SCIENCES,
LENINGRAD 191011

AND

MAREK KARPINSKI,
DEPT. OF COMPUTER SCIENCE,
UNIVERSITY OF BONN,
5300 BONN 1

(November 19, 1986)

Abstract. It is shown that the problem of deciding and constructing a perfect matching in bipartite graphs G with the polynomial permanents of their $n \times n$ adjacency matrices A ($\text{perm}(A) = n^{O(1)}$) are in the deterministic classes NC^2 and NC^3 , respectively. We further design an NC^3 algorithm for the problem of constructing all perfect matchings (*enumeration problem*) in a graph G with a permanent bounded by $O(n^k)$. The basic step was the development of a new symmetric functions method for the decision algorithm and the new parallel technique for the matching enumerator problem. The enumerator algorithm works in $O(\log^3 n)$ parallel time and $O(n^{3k+5.5} \cdot \log n)$ processors. It entails among other things an efficient NC^3 -algorithm for computing small (polynomially bounded) arithmetic permanents and a sublinear parallel time algorithm for the bipartite matching with permanents up to 2^{n^ϵ} .

Concerning the circuit complexity of the *logical permanent* (cf. [Ra 85]), we display a class of bounded permanent problems, each of superpolynomial monotone circuit

complexity $n^{\Omega(\log n)}$ ([Ra 85]), and which are computable within the uniform $O(\log^2 n)$ depth and $O(n^{4.5})$ size boolean circuits.

1. Introduction.

Given a bipartite graph G , and its (bipartite) adjacency matrix A . The problem of constructing all perfect matchings of G (the computation of the arithmetic permanent $\text{perm}(A)$) is $\#P$ -complete [Va 79]. Let PER^T (*logical permanent problem*) denote the set of all square adjacency matrices that have a perfect matching. PER^T does have polynomial time algorithms and $O(m^5)$ -uniform circuits [HK 73], [Ra 85].

Also a problem of finding some perfect matching (not the enumeration of all matchings) can be done in polynomial time [HK 73]. The problem of perfect matching for bipartite graphs is known to be in RNC^2 [MVV 86], [KUW 85]. The problem of deciding whether there exists a perfect matching (the problem of the logical permanent) possesses some interesting lower bound properties for monotone circuits [Ra 85], as well as interesting connections of its circuit upper bounds to the intractability of the discrete logarithm problem [FLS 85], for example. In 1984, Rabin and Vazirani [RV 84] have proved that if a graph has a unique perfect matching, then the problem of finding it lies in NC .

Kozen, Vazirani and Vazirani [KVV 85] and Hembold and Mayr [HM 86] have designed NC -algorithms for the problem of testing for unique matching as well as for interval graphs and the connected problem of 2-processor scheduling. [DK 86a] has generalized the result on interval graphs to strongly chordal graphs ([Fa 83], [Ta 85]). It was observed in [DK 86a] that the perfect matching for chordal graphs is complete for the general matching problem. Surprisingly, it was proved in [DK 86b] that the problem of matching for regular graphs is complete for the general matching problem.

It is also known that the perfect matching construction for bipartite regular graphs is in NC^2 [LPV 81]. In [Br 86] interesting approximation methods have been proposed for bipartite matching problems. The status of the general perfect matching problem remains open and is still one of the most intriguing open problems in parallel computation.

In this paper we attack the problem of checking and constructing perfect matchings in bipartite graphs in the case where its number is bounded by the constants and the polynomials. It was known from Rabin and Vazirani [RV 84] that if a graph has a unique perfect matching, then the problem of finding it lies in NC .

The aim of this paper is to prove the following three results:

(1) If a bipartite graph G has a polynomial adjacency permanent ($\text{perm}(A_G) \leq cn^k$), then the problem of deciding the existence of a perfect matching and its construction is in NC^2 and NC^3 , respectively (Theorems 1 and 3).

(2) If a bipartite graph G has a bounded adjacency permanent ($\text{perm}(A_G) \leq k$), then the construction problem of 'all perfect matchings' lies in NC^2 (Theorem 2).

(3) If a bipartite graph G has a polynomial adjacency permanent, then the problem of constructing all perfect matchings lies in NC^3 (Theorem 4). The enumerator algorithm works within $O(\log^3 n)$ parallel time and $O(n^{3k+5.5} \log n)$ processors.

The algorithm involves development of the new method of symmetric functions (Theorem 1) and the new parallel techniques for the matching construction and the matching enumerator.

It is interesting to notice that we have displayed a new parallel complexity feature of the matching problem, the easiness of its parallel enumerator for the small number of solutions. This feature is seemingly not shared, on the different complexity levels, by other hard counting problems (cf. [VV 85], [MVV 86]).

2. The Algorithms.

Given a bipartite graph of n vertices, denote its 0-1 bipartite adjacency matrix by A_G . The *permanent* of G is the permanent of $A_G = (a_{ij})_{n \times n}$, i.e. the number $\text{perm}(A_G) = \sum_{\sigma} a_{1\sigma(1)} a_{2\sigma(2)} \cdots a_{n\sigma(n)}$, where summation extends over all permutations σ on $\{1, 2, \dots, n\}$. Given a 0-1 matrix $A = (a_{ij})$, a *1-pattern* t_A of A is a mapping from $\{1, \dots, n\} \times \{1, \dots, n\}$ into $\{1, \dots, n^2\}$ such that $t_A(i, j) = l$ if $a_{ij} = 1$ and a_{ij} is the l -th non-zero element, $t_A(i, j) = 0$ otherwise.

Theorem 1. If a bipartite graph G has a polynomial permanent, $\text{perm}(A_G) \leq cn^k$ for given constants c and k , then the problem of deciding the existence of a perfect matching (*the logical permanent problem*) is in NC^2 .

PROOF. Suppose G is a given graph of n vertices and A its adjacency matrix. Let p_1, p_2, \dots, p_k denote consecutive prime numbers. We construct the following NC^2 -algorithm for deciding the existence of a perfect matching:

1. Construct in parallel all matrices

$$A_m = (a_{ij}^m) \text{ for } 1 \leq m \leq cn^k \quad \text{by}$$

$$a_{ij}^m = \begin{cases} (p_{t_A(i,j)})^m & \text{if } a_{ij} = 1 \\ 0 & \text{otherwise} \end{cases}$$

2. Compute the determinants of A_m , $1 \leq m \leq cn^k$: $\text{Det}(A_m) = \alpha_m$

In this paper we shall use the boolean circuit model of computation ([Co 85]). Computing the determinants of an $n \times n$ matrix of n -bits numbers takes $O(\log^2 n)$ boolean parallel time and $O(n^{4.5})$ processors ([BGH 82], [BCP 83]).

3. If $\exists m[\alpha_m \neq 0]$ then 'accept' else 'reject'.

We prove the correctness of the algorithm by the following

Lemma 1. $\forall m [\alpha_m = 0] \iff \text{perm}(A) = 0$.

PROOF (\implies). We make use of the fact that the determinants of the consecutive matrices (a_{ij}^m) form symmetric differences of the form $\sum_i x_i^m - \sum_j y_j^m$, for x_i, y_j prime

codings of all matchings, $1 \leq m \leq cn^k$. Codings x_i and y_j are pairwise different $x_i \neq y_j$, $x_i \neq x_j$, etc. or equal to zero. $\sigma_m = \sum_i x_i^m$ and $\sigma'_m = \sum_j y_j^m$ are symmetric functions.

All such functions are uniquely represented by the elementary symmetric functions [Ma 79]. Any two solutions of such systems must coincide up to permutations (cf [Ga 60], pp. 87-88) by the use of the Newton formulas; so in general there must exist a permutation σ such that $x_i = y_{\sigma(i)}$. On the other hand all x_i and y_j are different or equal to zero; therefore equal to zero, which ends the proof. \square

It is interesting to note that because of the monotonicity property, computing the logical permanent of matrices with k -bounded arithmetic permanents, $\text{perm}(A) \leq k$, for $k = 1, 2, \dots$, does have superpolynomial $n^{\Omega(\log n)}$ monotone circuit complexity ([Ra 85]) for all k 's. It stands in contrast with our

Corollary 1. The *Logical Permanent Problem* for matrices with k -bounded arithmetic permanents is computable within the uniform $O(\log^2 n)$ depth and $O(n^{4.5})$ size boolean circuits.

Theorem 2. If a bipartite graph G has a bounded permanent, $\text{perm}(A_G) \leq k$ for k a constant, then the problem of constructing all matchings of G is in NC^2 .

PROOF. One sees that the algorithm of Theorem 1 encodes matchings in the form of the numbers $\sum_i x_i^m - \sum_j y_j^m$ for $1 \leq m \leq cn^k$. The problem of decryption of these numbers and recovery of all actual matchings is a very interesting problem of polynomial algebra. We shall be able to prove the existence of such parallel 'matching recovery' in Lemma 3 for numbers of matchings bounded by $\log^{(\frac{1}{2}-\epsilon)} n$.

However, we now apply for a constant k a completely different method which is an interesting new 'divide-and-conquer' approach to the problem of matching.

The following is the NC^2 -algorithm for constructing all matchings of a given bipartite graph with a bounded permanent, $\text{perm}(A_G) \leq k$ for k a constant:

Input: Matrix A^ℓ

Subroutine (Split (A^ℓ)). Take in parallel all (i, j) entries of a matrix A such that $a_{ij} \neq 0$ and compute two new matrices $A_1^{\ell+1}$ and $A_2^{\ell+1}$:

- $A_1^{\ell+1}$ is the $(n-1) \times (n-1)$ matrix resulting from the cancellation of its i -th row and j -th column; store the numbers (i, j) .

and

- $A_2^{\ell+1}$ is the $n \times n$ matrix resulting from plugging '0' into its (i, j) -entry.

Algorithm.

1. $A^0 \leftarrow A_G$
2. Repeat in parallel
 subroutine **Split** (A^ℓ)
 until $\ell = k - 1$.
3. Construct new matrices $N = (x_{ij})$ on the leaves of the computation tree. Suppose $M = (y_{ij})$ is on the leaf; then

$$x_{ij} = \begin{cases} p_{t_M(i,j)} & \text{if } y_{ij} = 1 \\ 0 & \text{otherwise} \end{cases}$$

4. Compute the determinants of all matrices N .
5. If a determinant is an encoding of a *unique matching* (the condition: $\det(A_1^{k-1}) \neq 0$ and $\det(A_2^{k-1}) = 0$ is fulfilled), recover it from the determinant (by consecutive dividing by prime numbers p_1, p_2, \dots, p_n and retrieving stored numbers (i, j) from the computational path) and print it out. (If you do not want repetition, do additional parallel sorting.) The correctness of the algorithm is based on the following

Lemma 2. For every matching in a graph G there exists a leaf of a computation tree (step 3) with the unique matching in it.

We now aim at improving Theorem 2. First we prove

Lemma 3. If a bipartite graph G has a permanent bounded by $\log^{\frac{1}{2}-\epsilon} n$, $\text{perm}(A_G) \leq \log^{\frac{1}{2}-\epsilon} n$, then the problem of constructing all its matchings lies in NC .

PROOF. Denote by k the number of matchings. Let $k < \log^{(\frac{1}{2}-\epsilon)} n$, and $\{q_i\}$ are such primes that

- 1) $q_i > k$ (in fact $q_i \sim kn \log n < \log^{(1\frac{1}{2}-\epsilon)} n$) and
- 2) $\prod_i q_i > 2^n (n!)^k > \sigma_j(x_1, \dots, x_\ell), 1 \leq j \leq k, x_1, \dots, x_k$ — products of primes plugged in matchings; the number of q_i is near kn .

Fix q_{i_0} (in parallel) and solve the system

$$\begin{pmatrix} \sum_{1 \leq i \leq \ell} x_i - \sum_{1 \leq j \leq k-\ell} y_j = A_1 \\ \vdots \\ \sum_{1 \leq i \leq \ell} x_i^k - \sum_{1 \leq j \leq k-\ell} y_j^k = A_k \end{pmatrix} \pmod{q_{i_0}}.$$

Take any solution $\bar{x}_1, \dots, \bar{x}_\ell, \bar{y}_1, \dots, \bar{y}_{k-\ell}$ (at the beginning we test $\ell = 0, 1, \dots, k$), then compute $\sigma_j(\bar{x}_1, \dots, \bar{x}_\ell), \sigma_j(\bar{y}_1, \dots, \bar{y}_{k-\ell}), 1 \leq j \leq k$. Any two solutions of this system

coincide up to permutations in $\bar{x}_1, \dots, \bar{x}_\ell$ and $\bar{y}_1, \dots, \bar{y}_{k-\ell}$ (separately) because $q_{i_0} > k$. Therefore $\sigma_j(\bar{x}_1, \dots, \bar{x}_\ell), \sigma_j(\bar{y}_1, \dots, \bar{y}_{k-\ell})$ are *uniquely defined* and

$$\sigma_j(\bar{x}_1, \dots, \bar{x}_\ell) = \sigma_j(x_1, \dots, x_\ell) \pmod{q_{i_0}}$$

$$\sigma_j(\bar{y}_1, \dots, \bar{y}_{k-\ell}) = \sigma_j(y_1, \dots, y_{k-\ell}) \pmod{q_{i_0}}$$

where $x_1, \dots, x_\ell, y_1, \dots, y_{k-\ell}$ is the unique (up to permutations in x_1, \dots, x_ℓ and in $y_1, \dots, y_{k-\ell}$) solution of the system

$$\begin{cases} \sum x_i - \sum y_j = A_1 \\ \vdots \quad \quad \quad \vdots \\ \sum x_i^k - \sum y_j^k = A_k \end{cases}$$

and so $\sigma_j(x_1, \dots, x_\ell), \sigma_j(y_1, \dots, y_{k-\ell})$ are defined uniquely.

By the Chinese remainder theorem restore $\sigma_j(x_1, \dots, x_\ell), \sigma_j(y_1, \dots, y_{k-\ell})$. It is possible since $\prod q_i > \sigma_j(x_1, \dots, x_\ell), \sigma_j(y_1, \dots, y_{k-\ell})$. Then apply [Lo 83] or [BKR 84] to find $x_1, \dots, x_\ell, y_1, \dots, y_{k-\ell}$.

The complexity of the solving system $\pmod{q_{i_0}}$ (the method of [CHG 83] and [CHG 84]) is polynomial in $(\deg)^{(\text{var})^2}$. $q_{i_0} \leq k^{k^2} \cdot kn \log n$ is polynomial in n . The point is that the method of [CHG 83] and [CHG 84] can be done simultaneously in parallel time \log (sequential time) $\leq O(\log n)$ – its main subroutine is factoring in $\mathbb{F}_q[x_1, \dots, x_n]$ – and the method in [CHG 83] needs only linear algebra – not reduction basis. \square

Having proved the existence of an NC -algorithm for the enumerator of $\log^{\frac{1}{2}-\epsilon} n$ matchings (which seems to be a limit for an efficient parallel algebra algorithm), we are now going to attack the general matching problem of polynomially bounded permanents, both for the construction of a matching and the matching enumerator. We are able to prove a much stronger result than Lemma 2 by using our symmetric functions technique of Theorem 1 for the solution of the logical permanent problem (surprisingly not using any efficient linear algebra).

Theorem 3. If a bipartite graph G has a polynomial permanent ($\text{perm}(A_G) \leq cn^k$), then the problem of constructing a perfect matching lies in NC^3 .

PROOF. Denote by $A = (a_{ij})$ a 0-1 $n \times n$ matrix. For any entry a_{ij} , by A_{ij} denote the $(n-1) \times (n-1)$ matrix obtained from A by canceling the i -th row and the j -th column.

For any $a_{ij} = 1$ test (with the help of the deciding method of Theorem 1) whether A_{ij} has at least one matching. We call such a_{ij} *generators*. Consider a row (i_0 -th) containing at least two generators $a_{i_0 j_1} = a_{i_0 j_2} = 1$ (otherwise, if no such row exists, we have found a unique matching). Then at least one of the two matrices $A_{i_0 j_1}$ and $A_{i_0 j_2}$ has at most half of all the matchings of the matrix A . This is a crucial point of our algorithm (the rest is a consequence of our decision algorithm of Theorem 1)

Then apply the same construction to both matrices $A_{i_0 j_1}, A_{i_0 j_2}$ (call recursively the subroutine of Theorem 1), and so on. After $t \leq \log(cn^k) = O(\log n)$ steps we shall obtain one of the 2^t matrices with the unique matching. \square

Theorem 4. (Catching all Perfect Matchings in NC^3) If a bipartite graph G has a polynomial permanent ($\text{perm}(A_G) \leq cn^k$), then the problem of constructing all its perfect matchings lies in NC^3 . The algorithm works in $O(\log^3 n)$ parallel time and $O(n^{3k+5.5} \log n)$ processors.

PROOF. We start with a definition:

Definition. A set of entries $a_{i_1 j_1}, \dots, a_{i_u j_u}$ of the matrix A is called (*matching*) *active* if there exists a matching in the graph corresponding to the matrix A , containing all these entries.

One can test for any given set of entries $a_{i_1 j_1}, \dots, a_{i_u j_u}$ whether it forms an *active set*. Namely, it is equivalent to the fact that for all $a_{i_1 j_1} = \dots = a_{i_u j_u} = 1$, the indices i_1, \dots, i_u are pairwise distinct (and also j_1, \dots, j_u) and besides, in the matrix $A_{(i_1, \dots, i_u), (j_1, \dots, j_u)}$, obtained from A by canceling the rows i_1, \dots, i_u and the columns j_1, \dots, j_u , there is at least one matching that can be checked by means of the decision procedure exposed above (Theorem 1).

Now we describe an algorithm yielding all the matchings of the matrix A . We can suppose w.l.o.g. that $n = 2^m$. The algorithm works recursively in $(m + 1)$ stages. At the first stage it produces all the active entries.

Next, fix a certain i , $1 \leq i \leq m$, and assume that after the i -th stage the algorithm has produced the family of all the active sets of entries of the form $a_{2^{(i-1)} \cdot s + 1, j_1}, \dots, a_{2^{(i-1)} \cdot s + 2^{(i-1)}, j_{2^{(i-1)}}}$ for each s , $0 \leq s < 2^{m-i+1}$.

So, at the $(i + 1)$ -th stage for every $0 \leq t < 2^{m-i}$ the algorithm tests in parallel for any pair of active sets of the form $a_{2^{(i-1)}(2t+1)+1, j_1}, \dots, a_{2^{(i-1)}(2t+1)+2^{(i-1)}, j_{2^{(i-1)}}}$ and $a_{2^{(i-1)}(2t+1)+1, p_1}, \dots, a_{2^{(i-1)}(2t+1)+2^{(i-1)}, p_{2^{(i-1)}}}$ whether the union of these two sets $a_{2^{(i-1)}(2t+1)+1, j_1}, \dots, a_{2^{(i-1)}(2t+1)+2^{(i-1)}, p_{2^{(i-1)}}}$ forms an active set. If yes, then the algorithm outputs it as one of the results of the $(i + 1)$ -th stage. This completes the description of the algorithm. At the end of it (after $(m + 1)$ stages) we obtain all the matchings of the matrix A .

Let us prove that the described algorithm is in NC . The depth of the algorithm is $O(\log^3 n)$. To estimate the size of the algorithm observe that after any stage there would be less than $n \cdot cn^k$ active sets. Thus, at any stage the algorithm tests less than $c^2 n^{2k+1}$ pairs of active sets. This proves that the described algorithm lies in NC^3 and takes $O(n^{3k+5.5} \log n)$ processors. \square

We now derive some important corollaries from the construction of Theorems 3 and 4:

Corollary 2. The problem of computing a polynomially bounded permanent is in NC^3 .

Corollary 3. If the number of matchings in a graph G is $n^{O(\log n)}$, then the decision problem (logical permanent) and the construction of a perfect matching problem are mutually $O(\log^2 n)$ -uniform depth reducible.

Corollary 4. If a bipartite graph G has a permanent less than $2^{\log^k n}$, then there is a $\log^{k+1} n$ parallel time ($\log^{k+1} n$ -sequential space) algorithm for enumerating all perfect matchings.

Corollary 5. If a bipartite graph G has a permanent less than 2^{n^ϵ} for a constant $\epsilon \leq 1$, then there is a sublinear parallel time (sublinear sequential space) algorithm for enumerating all the perfect matchings in a graph.

3. Deciding whether the Permanent is Small; a Randomised Version of the Matching Enumerator.

It is known that for every positive integer k there exists a $(0,1)$ -matrix with the permanent k . The minimum order of $(0,1)$ -matrices with the permanent k does not exceed $\lceil \log(k-1) \rceil + 2$ for $k = 2, 3, \dots$ ([GMW 74]). An important computational problem of *bounded counting* arises: given an arbitrary k , $k = 0, 1, 2, 3, \dots$, decide whether $\text{perm}(A)$ is k -small, i.e. whether $\text{perm}(A) \leq k$. If the answer is yes, our enumerator algorithm of Section 2 will produce all the perfect matchings. Our algorithms provide a way of deciding whether $\text{perm}(A) = k$, for $k > 0$, but unfortunately they cannot distinguish between *zero* and *many* matchings.

A similar situation holds for polynomially *small* permanents. For a function $f \in n^{O(1)}$, $\text{perm}(A)$ is f -small if $\text{perm}(A) \leq f(n)$ for an $n \times n$ -matrix A . We are now interested in detecting all matrices A with f -small permanents. We produce here an attractive randomised version of our Theorem 4.

Theorem 5 (Randomised Enumerator) For any polynomial $f \in n^{O(1)}$ ($f(n) = cn^k$) there exists a randomised (Las Vegas) RNC^3 -algorithm for deciding whether $\text{perm}(A)$ is f -small. In the case $\text{perm}(A)$ is f -small, the algorithm outputs all the perfect matchings of A . The algorithm takes $O(\log^3 n)$ parallel time and $O(n^{2k+5.5} \log n)$ processors.

PROOF There exists a Las Vegas RNC^2 -algorithm (not outputting any errors) for the logical permanents (cf. [MVV 86], [KUW 85]) working in $O(\log^2 n)$ parallel time and $O(n^{4.5})$ processors and using $O(n^2 \log n)$ random bits. We use this algorithm (instead of applying the deterministic procedure of Theorem 4) to compute the logical permanent of the *active set* matrices $A_{j_1, \dots, j_u}^{i_1, \dots, i_u}$ in the algorithm of Theorem 4.

We control the number of active sets produced at any level by comparing it in parallel with the number $n \cdot cn^k$ (computed by another NC^1 -circuit). If it exceeds this number, we switch the circuit off. If not, we shall obtain a printout of all the matchings in A in $O(\log^3 n)$ parallel time. The algorithm takes $O(n^{2k+5.5} \log n)$ processors. \square

The randomised algorithm above reduces the number of processors by the factor of $\sim O(n^k)$ on the expense of $O(n^{2k+7.5} \log^2 n)$ random bits.

4. Extensions.

Our results can be extended to the problem of Maximum Matching for the case of non-bipartite graphs with the polynomially bounded number of matchings. In this case we deal with computations over skew matrices and Pfaffian functions rather than bipartite adjacency matrices. Due to the enumerator algorithm of Theorem 4, the problems of Maximum Weighted Matching (with weights in binary), First Lexicographical Perfect Matching, or the connected Stable Marriage Problems are all put in NC^3 , provided the number of underlying matchings is small. Also, as a consequence of the enumerator, inherently difficult problems of counting $\text{perm}(A) \bmod k$ ([Va 79], [VV 85]) have been proved efficiently parallelisable for the polynomially small permanents.

5. Further Research.

It remains to be seen whether the method applied in our algorithm for bounded cases of the logical permanent could be refined to provide a general deterministic solution. It seems that a more careful look at the *algebraic varieties* stemming from our *symmetric functions* construction of Theorem 1 is now justified.

Independently, it would be very nice to shed some light (say, via NC -reducibilities) on the mutual interdependence between the decision methods and the construction of a perfect matching for graphs with superpolynomial permanents (Theorem 3 and Corollary 3 might be good starting points).

Acknowledgements.

We are thankful to Avi Wigderson, Volker Strassen and Mark Jerrum for a number of interesting conversations. Special thanks also go to Erich Kaltofen for valuable comments concerning parallel algebra for computing integer roots of polynomials used in Lemma 3. Finally we thank Michael Ben-Or, Noga Alon, and Michael Rabin for commenting on the preliminary draft of this paper.

References.

- [BKR 84] Ben-Or, M., Kozen, D., and Reif, J.,
The Complexity of Elementary Algebra and Geometry
16th ACM STOC (1984), pp.457-464
- [BCP 83] Borodin, A., Cook, S.A., and Pippenger, N.,
Parallel Computation for Well-Endowed Rings and Space-Bounded Probabilistic Machines
Information and Control **58** (1983), pp.113-136
- [BGH 82] Borodin, A., von zur Gathen, J., and Hopcroft, J.,
Fast Parallel Matrix and GCD Computation
Proc. IEEE FOCS (1982), pp. 65-71
- [Br 86] Broder, A.Z.,
How Hard is it to Marry at Random (On the Approximation of the Permanent)
Proc. 18th ACM STOC (1986), pp. 50-58
- [CHG 83] Chistov, A.L., and Grigoriev, D.Yu.,
Subexponential-Time Solving Systems of Algebraic Equations I/II
LOMI Reports E-9-83, E-10-83, Steklov Mathematical Institute (1983), pp. 1-57, pp. 1-62
- [CHG 84] Chistov, A.L., and Grigoriev, D.Yu.,
Fast Decomposition of Polynomials into Irreducible Ones and the Solution of Systems of Algebraic Equations
Soviet Math. Dokl. (1984), pp. 380-383
- [Co 85] Cook, S.A.,
A Taxonomy of Problems with Fast Parallel Algorithms
Information and Control **64** (1985), pp. 2-22
- [DK 86a] Dahlhaus, E., and Karpinski, M.,
The Matching Problem for Strongly Chordal Graphs is in NC
Research Report No. 855-CS, University of Bonn (1986), pp. 1-8 (submitted for publication)
- [DK 86b] Dahlhaus, E. and Karpinski, M.,
Perfect Matching For Regular Graphs is AC^0 -Hard for the General Matching Problem
Research Report No. 858-CS, University of Bonn (1986), pp. 1-5 (submitted for publication)
- [Fa 83] Farber, M.,
Characterizations of Strongly Chordal Graphs
Discrete Math. **43** (1983), pp. 173-189

- [FLS 85] Furst, M., Lipton, R., Stockmeyer, L.,
Pseudorandom Number Generation and Space Complexity
Information and Control **64** (1985), pp. 43-51
- [FSS 81] Furst, M., Saxe, J.B., and Sipser, M.,
Parity, Circuits, and the Polynomial Time Hierarchy
Proc. 22nd IEEE FOCS (1981), pp. 260-270
- [Ga 60] Gantmacher, F.R.,
The Theory of Matrices
Chelsea Publ., New York (1960), pp. 1-374
- [vzG 86] von zur Gathen, J.,
Permanent and Determinant
Proc. 22nd IEEE FOCS (1986), pp.398-401
- [GT 86] Goldberg, A.V., and Tarjan, R.E.,
A New Approach to the Maximum Flow Problem
Proc. 18th ACM STOC (1986), pp.136-146
- [GMW 74] Gordon, B., Motzkin, T.S., and Welch, L.,
Permanents of 0, 1-matrices
J.Computational Theory Ser. A **17** (1974), pp. 145-151
- [HM 86] Hemboldt, D., and Mayr, E.,
Two Processor Scheduling is in NC
Proc. VLSI Algorithms and Architectures, LNCS **227** (1986), pp. 12-25
- [HK 73] Hopcroft, J.E., and Karp, R.M.,
An $n^{\frac{1}{2}}$ Algorithm for Maximum Matching in Bipartite Graphs
SIAM J. Comp. **2** (1973), pp. 225-231
- [KUW 85] Karp, R.M., Upfal, E., and Wigderson, A.,
Constructing a Perfect Matching is in Random NC
Proc. 17th ACM STOC (1985), pp. 22-32
- [KVV 85] Kozen, D., Vazirani, U.V., and Vazirani, V.V.,
NC Algorithms for Comparability Graphs, Interval Graphs, and Testing for Unique Perfect Matching
Proc 5th Conference on Foundations of Software Technology and Theoretical Computer Science, Springer LNCS Vol. 206 (1985), pp. 496-503
- [LPV 81] Lev, G., Pippenger, N., and Valiant, L.,
A Fast Parallel Algorithm for Routing in Permutation Networks
IEEE Transactions on Computers Vol. **C-30** (1981), pp. 93-100
- [Lo 83] Loos, R.,
Computing Rational Zeros of Integer Polynomials by p-adic Expansions
SIAM J.Comp.**12** (1983), pp.286-293

- [LP 86] Lovász, L., and Plummer, M.D.,
Matching Theory
North Holland Mathematical Studies Vol 29 (1986), pp. 1-544
- [Ma 79] Macdonald, I.G.,
Symmetric Functions and Hall Polynomials
Clarendon Press, Oxford (1979), pp.1-180
- [MVV 86] Mulmuley, K., Vazirani, U.V., and Vazirani, V.V.,
A Parallel Algorithm for Matching
to appear (1986)
- [NW 75] Nijenhuis, A., and Wilf, H.,
Combinatorial Algorithms
Academic Press, (1975), pp.1-253
- [RV 84] Rabin, M.D., and Vazirani, V.V.,
Maximum Matchings in General Graphs through Randomisation
TR-15-84, Harvard University Center for Research in Computing Technology (1984)
- [Ra 85] Razborov, A.A.,
Bound on the Monotone Network Complexity of the Logical Permanent
Matem. Zametki **37** (1985), in Russian
- [Sm 86] Smolensky, R.,
Algebraic Methods in the Theory of Lower Bounds for Boolean Circuit Complexity
Draft Paper, University of California, Berkeley (1986), pp. 1-16
- [St 83] Stockmeyer, L.,
The Complexity of Approximate Counting
Proc. 15th ACM STOC (1983), pp. 118-126
- [Ta 85] Tarjan, R.E.,
Decomposition by Clique Separators
Discrete Mathematics **55** (1985), pp. 221-232
- [Va 79] Valiant, L.G.,
The Complexity of Computing the Permanent
Theoretical Computer Science **8** (1979), pp. 189-201
- [VV 85] Valiant, L.G., and Vazirani, V.V.,
NP is as Easy as Detecting Unique Solutions
Proc 17th ACM STOC (1985), pp. 458-463